

Algorithmic governance: Regulating the ‘heartbeat’ of a city using the Internet of Things

Claudio Coletta¹ and Rob Kitchin²

1. National University of Ireland Maynooth, claudio.coletta@nuim.ie

2. National University of Ireland Maynooth, rob.kitchin@nuim.ie



The Programmable City Working Paper 22

<http://progcity.maynoothuniversity.ie/>

17 November 2016

This paper has been submitted to the Algorithms in Culture workshop to be held in University of California Berkeley, 1-2 December 2016.

Published as an open access pre-print on SocArXiv: <https://osf.io/bp7c4/>

Abstract

To date, research examining the socio-spatial effects of smart city technologies have charted how they are reconfiguring the production of space, spatiality and mobility, and how urban space is governed, but have paid little attention to how the temporality of cities is being reshaped by systems and infrastructure that capture, process and act on real-time data. In this paper, we map out the ways in which city-scale Internet of Things infrastructures, and their associated networks of sensors, meters, transponders, actuators and algorithms, are used to measure, monitor and regulate the polymorphic temporal rhythms of urban life. Drawing on Lefebvre (1992[2004]), and subsequent research, we employ rhythmanalysis in conjunction with Miyazaki's (2012, 2013a/b) notion of 'algorhythm' and nascent work on algorithmic governance, to develop a concept of 'algorhythmic governance'. We then use this framing to make sense of two empirical case studies: a traffic management system and sound monitoring and modelling. Our analysis reveals: (1) how smart city technologies computationally perform rhythmanalysis and undertake rhythm-work that intervenes in space-time processes; (2) three distinct forms of algorhythmic governance, varying on the basis of adaptiveness, immediacy of action, and whether humans are in, on-, of-, off-the-loop; (3) and a number of factors that shape how algorhythmic governance works in practice.

Key words: algorhythm, algorithmic governance, rhythmanalysis, Internet of Things, smart cities, time geography.

Can I understand the heartbeat of a city? That is really what it is. Whether it comes down to the smart lighting or some app that tells me where I can park or where I can't park, all of that stuff, rail, transport, any of that information that I have just got at the touch of a button ... So when I see a smart city it is basically understanding the heartbeat of the city, being informed about it; that if there is any issues with it that it is quite easy to find where those issues are. (Start-up entrepreneur #1)

Introduction

Since the 1950s, with the introduction of SCADA (Supervisory Control and Data Acquisition) systems, technology has been utilized to manage and control urban systems in *real-time*, especially with respect to transportation, utilities and security), and to mediate the rhythms of city life. In recent years, such dynamic regulation and mediation has been widened and deepened with the rollout of ubiquitous and pervasive computing wherein computation is built into the fabric of urban infrastructure and is accessible from any location and on the move. As a consequence, a range of studies have noted how the deployment of smart city technologies is reconfiguring the production of space, spatiality and mobility, and how urban space is governed (e.g., Thrift and French 2002; Crang and Graham 2007; Kitchin and Dodge 2011; Gordon and de Souza 2011). However, while some research has considered the effects of ICTs on time and space – e.g., creating time-space compression, convergence and distanciation and altering socio-temporal relations (Castells 1996), scant attention has been paid to how the temporality of cities is being reshaped by city systems that capture, process and act on real-time data (cf. Townsend 2000; Kitchin 2014; Willis 2016). Moreover, time geography has little considered the role of code and new forms of urban big data in reshaping the temporality of urban processes, systems and life (c.f. Schwanen 2007, Crang *et al.*, 2007).

Smart city technologies – such as city operating systems, urban control rooms, smart grids, sensor networks, smart parking, smart lighting, city dashboards and real-time information apps – have a number of transformative temporal effects (such as altering temporal relations with respect to flexibility, nimbleness, pace, stasis/inertia, prioritization, distanciation, tracking trends, forecasting, nowcasting, scheduling, anticipation, and short-term/long-term planning), and are open to framing and analysis through different space/time perspectives – e.g., time geography (Hagerstrand 1970), space-time (Massey 1992), rhythmanalysis (Lefebvre 1992[2004]), timespace (May and Thrift 2001). In this paper, we focus attention on how systems that utilize or form part of the Internet of Things, and their associated networks of sensors, meters, transponders, actuators and algorithms, are being used to measure and regulate

the concatenated rhythms of the city. Drawing on Lefebvre (1992 [2004]), and subsequent research, we employ rhythmanalysis in conjunction with Miyazaki's (2012, 2013a/b) notion of 'algorhythm' and nascent work on algorithmic governance, to develop a concept of 'algorhythmic governance' – the way in which code and big data are used to intervene and regulate the polymorphic temporal rhythms of urban life.

To illustrate our argument, we detail two brief case studies. First, traffic management and the on-going work within a traffic control centre to gather real-time data on traffic conditions and the rhythms of traffic flow in order to dynamically manage a complex network in flux and to keep traffic moving. Here, our analysis utilizes ethnographic fieldwork in which one of the authors spent time in a traffic control room observing the work of the intelligent transport system and its controllers and managers, and on a set of related interviews. Second, real-time sound monitoring utilizing a network of sensors, wherein the data are fed back to city managers and analyzed, and shared with the public through a city dashboard. Here, our analysis draws on a set of interviews with system developers and those that analyze, utilize and share the data. In both cases, the interviews are drawn from a larger set of 77 conducted with city workers and stakeholders involved in smart city initiatives in Dublin, Ireland. These two case studies illustrate two different types of algorhythmic governance: the first more interventionist, adaptive and direct, wherein the on-going management of a city system is over-determined by code; the second more contextual or performance management orientated, wherein the rhythms are measured, monitored, recorded and modelled, with interventions more periodic and indirect.

Rhythmanalysis and the (smart) city

Rhythmanalysis (1992[2004]) was the fourth and final instalment in Henri Lefebvre's multi-volume work, 'Critique of Everyday Life' which was published between 1947 and 1992. The book, published posthumously, and was a key contribution, along with *The Production of Space* (1974[1991]), to his 'attempt to get us both to think space and time *differently*, and to think them *together*' (Elden 2004: ix, original emphasis). Lefebvre's (2004: 15) core argument is that '[e]verywhere where there is interaction between a place, a time and an expenditure of energy, there is rhythm', meaning that everyday life unfolds within 'patterns of flow that possess particular rhythmic qualities' which produce a sense of continuity and stability, or disjuncture (Edensor 2010a: 3). Peoples' lives therefore take place within a set of oscillating space-times, some of which are encountered regularly, some more periodically; or to put it another way: 'what we live are rhythms' (1991: 206).

Lefebvre identifies two main types of rhythms, linear and cyclical repetition. Linear repetitions are ‘imposed structures’ through ‘social practices’ such as clock time and timetables, whereas cyclical repetitions are ‘lived time’ originating in the ‘cosmic, in nature: days, nights, seasons’ (Lefebvre 2004: 8). In practice, ‘[t]ime and space, the cyclical and the linear, exert a reciprocal action: they measure themselves against one another; ... everything is cyclical repetition through linear repetitions (Lefebvre 2004: 8). May and Thrift (2001) thus note that people’s socio-spatial practices are rhythmically conditioned in at least four ways: (1) natural cycles, such as the diurnal cycle, seasonal change, turning of tides, bodily rhythms; (2) social discipline, such as religious or work or official timetables, or meal-times at home; (3) instruments and devices, such as sun dials, clocks, video recorders, transportation, smartphones; and (4) texts that codify and shape one’s understanding of time, such as timetables or this paper. Moreover, as Crang (2001: 188) suggests, the urban fabric itself pulsates rhythmically, producing a ‘topology and texture of temporality’ that frames and mediates urban life.

As Lefebvre (2004) notes, people are often encountering and co-producing several of rhythms simultaneously such that cities host a series of ‘intersecting rhythms, including the polyrhythmic [multiple], eurhythmic [harmonious and stable], isorhythmic [equal and in sync] and even arrhythmic [out of sync and disruptive] measures as well as secret, public, internal and external beats that comprise the symphonic everyday’ (Conlon 2010: 72-3). In other words, cities consist of a ‘multiplicity of temporalities, some long run, some short term, some frequent, some rare, some collective, some personal, some large-scale, some hardly noticed’ (Crang 2001: 190). These rhythms ‘may clash or harmonize, producing reliable moments of regularity or less consistent variance’ (Edensor and Holloway 2008: 484). Thought of in this way, places – the conjoining of space and time – unfold as events, wherein multiple constellations of trajectories, processes and temporalities ‘collide, synchronise and interweave’ (Jiron 2010: 131).

A key aspect of how rhythms unfold, are maintained and are discernible from noise, and also mutate, is repetition. Basic elements of a rhythm are repeated to create an order, a refrain, and it is this refrain, individually and collectively reproduced, that produces ordered space-time (Spinney 2010). As Brown and Capdevila (1999: 36–7, cited in May and Thrift 2001) explain, ‘[a] refrain ... is a rhythmic series ... that creates, by its very repetition, a sense of the familiar, a sense of place.’ They elaborate that refrains:

‘are the basic means by which ordered space is marked out from disorder: “the refrain is essentially territorial, territorialising and reterritorializing” ([Deleuze and Guattari] 1988: 300). As the territory becomes secured, so the refrain is ‘picked up’ or reiterated by others who come to occupy the same space, much like the bird songs or, they argue, cultural myths. Each time the refrain is picked up, it is articulated anew, yet it still remains recognisably the same repetitive series’ (p. 36-7).

The re-iteration of repetition is important because it not simply the return of the identical, but the creation of difference. As Lefebvre notes, ‘there is no identical absolute repetition, indefinitely. Whence the relation between repetition and difference. When it concerns the everyday, rites, ceremonies, fêtes, rules and laws, there is always something new and unforeseen that introduces itself into the repetitive: difference.’ (Lefebvre 2004: 6). As such, while a system might work to try and maintain a refrain, to maintain a eurhythmic state, it is always unfolding in a slightly imperfect form, or it might be ‘punctured, disrupted or curtailed by moments and periods of arrhythmia’ and dissolve into noise (Edensor and Holloway 2008: 485). Rhythms then are not already given, but emerge as beats in the superposition of multiple and heterogeneous temporal flows and routines; these beats, in turn, perform differences and require new attunements to bring them into order.

As Elden (2004) details, Lefebvre uses rhythm not just as an object of study, but also as a mode of analysis. Rhythmanalysis thus seeks to unpack the ways in which time, space and lived experience are folded into, conditioned by, and produced through various rhythms (Lefebvre 2004; May and Thrift 2003; Edensor 2010a). Lefebvre is fairly vague on what rhythmanalysis looks like in practice, and those that have sought to deploy his ideas empirically have used a range of different methods (see Edensor 2010b for examples). As noted, our approach has been to use a combination ethnography and interviews that have sought to understand how city managers and the software-enabled systems they use measure and manage the polyrhythmic city. Lefebvre (2004: 8) places particular focus on measure contending that while ‘rhythm seems natural, spontaneous, with no law other than its unfurling. ... Rhythm, always particular, (music, poetry, dance, gymnastics, work, etc.) always implies a measure. Everywhere where there is rhythm, there is measure, which is to say law, calculated and expected obligation, a project.’

Our empirical focus is how new smart city technologies are being used to mediate and regulate the multiple rhythms of cities; to conduct a rhythmanalysis of the measure, work and effects of Internet of Things infrastructures that seek to limit arrhythmia and produce eurhythmic systems than maintain refrain. As noted by a number of commentators, the

monitoring, planning and coordination of urban systems and services are increasingly being mediated by software-enabled technologies processing real-time data (Kitchin and Dodge 2011; Townsend 2013; Luque-Ayala and Marvin 2016). Here, governance is delegated to digital infrastructures (DeNardis and Musiani 2016) and enacted through forms of ‘automated management’ (Dodge and Kitchin 2007), wherein human and social action are increasingly mediated by black-boxed algorithms that are inaccessible to public scrutiny (Gillespie 2014; Pasquale 2015; Janssen and Kuk 2016). As a consequence, software is re-framing time and temporality (Hassan and Purser 2007), and the space-times of cities are undergoing significant change.

Although Lefebvre in his later years showed strong interest in ICTs and their role in the capitalist mode of production (Lefebvre 1996), it is only in the last few years that rhythmanalysis has been deployed for studying the work of algorithms, for example in environmental (Palmer and Jones 2014), energy (Walker 2014) and financial processes (Borch *et al.* 2015). However, as noted by Borch *et al.* (2015) in their account of high frequency trading in financial markets, ‘the bodily focus of Lefebvre’s project makes it unsuitable for fully grasping the development toward algorithmic trading’ (p. 1084), and by extension sensing infrastructures. This is because, they explain, high-frequency trading algorithms are ‘designed to detect and respond to market rhythms’ and the ‘rhythmic interactions *among* algorithms take place in ways that are not bodily founded or related’ (p. 1084: original emphasis). This is not to say that the rhythm of human bodies are not attuned to trading markets, but algorithms are largely working in ways independent of body rhythms. A further shortcoming in Lefebvre’s rhythmanalysis – as noted by Kofman and Lebas (1996: 48) – is the lack of ‘a sustained analysis of the production of time, although his analysis ... certainly yield significant insights on presence and absence, multiple temporalities and the interplay of time and space’. If measure and calculations are constitutive aspects of rhythms and there is ‘no rhythm without repetition in time and in space’, and if repetition entails difference (Lefebvre 1992[2004]: 6), then a focus on algorithms suggests to us a need to rethink measures, linearity and cycles as effects of rhythm-making processes. Accordingly, the multiple and entangled character of rhythms requires the interaction between human bodies and everyday life on the one hand and code and organizational processes on the other to be accommodated, to which we now turn.

Algorithms, governance and rhythms

Fundamentally, software is composed of algorithms – ‘sets of defined steps structured to process instructions/data to produce an output’ (Kitchin 2017: 14). Gillespie (2014) thus notes

that all digital technologies are ‘algorithm machines’, able to tackle a diverse set of tasks automatically, quickly, efficiently, effectively, and inscrutably. Given these qualities, many aspects of everyday life are increasingly being mediated, augmented, produced and regulated by digital devices and networked systems. As noted, this includes a diverse set of city systems and infrastructure, where algorithms are deployed to ‘search, collate, sort, categorise, group, match, analyse, profile, model, simulate, visualise and regulate people, processes and places’ (Kitchin 2017: 18). In turn, this has enabled new forms of algorithmic governance to be enacted, whereby ‘algorithm machines’ are used to actively measure, monitor, manage and control populations and the space-times of cities.

In recent years there has been an increased focus on the nature, working and effects of algorithmic governance across a range of domains (e.g., finance, health, education, work). This has included research that has examined and theorised how various forms of algorithmic governance is reshaping the management, control and governmentality of space and mobility. For example, Graham (2005) detailed processes of algorithmic spatial sorting in which people are classified with respect to place and differentially treated, and in later work (2011) set out how cities were increasingly under siege through various forms of automated surveillance and regulation (e.g., CCTV, transactions, satellites, drones, etc.). Amoore (2006, 2013) examined the use of algorithmic regulation in border security, and in the calculation and management of socio-spatial risks. Kitchin and Dodge (2011) documented the various ways in which people, objects, territories and transactions are algorithmically tracked and acted upon, and detailed forms of automated management in which ‘algorithm machines’ are ceded the power to act in automatic, autonomous and automated ways. More recently, Klauser *et al.* (2014) have examined the changing nature of governmentality enacted through the use of smart metering and smart grids and Luque-Ayala and Marvin (2016) have documented how new centralized urban control rooms enact new forms of real-time governmentality; Leszczynski (2015) has explored anxieties of surveillance and control in an age of spatial big data practices and dataveillance; Kitchin *et al.* (2015) have detailed how new streams of urban big data and city dashboards are enabling forms of new managerialism, performance management and technocratic modes of governance; and Kitchin (2016) has examined the ethics of governing through smart city technologies and issues of profiling, discrimination, bias, due process, accountability.

In general, these studies have little considered the ways in which algorithms are temporal in nature, and at best only implicitly note the temporal as well as spatial work of algorithmic governance and how they mediate the rhythms of urban life. Here, we want to

consider the temporal dimensions of algorithms and their work, reframing them as algorithyms that produce modes of algorithmic governance; that is, structured forms of knowledge designed to create euryhtmia – a familiar, desired refrain.

Miyazaki (2012, 2013a/b) introduced the concept of an ‘algorithym’, blending together the notion of an algorithm’s sequence of step-by-step instructions with rhythm’s time-based order of movement to consider how computation ‘manifests itself as an epistemic model of a machine that makes time itself logically controllable and, while operating, produces measurable time effects and rhythms’ (2012: 5). Miyazaki (2013b: 520) contends ‘[a]lgorithyms are vibrational, pulsed and rhythmized signals constituted both by transductions of physical fluctuations of energy and their oscillations as well as by abstract and logical structures of mathematic calculations.’ He shows how the micro-temporal ‘agencement’ of such algorithyms produce and mediate everyday life, but can also generate major failures in networks and services, such as in the cases of the AT&T telephone network crash in 1990 or the Flash Crash of the New York Stock Exchange in 2010. Likewise, Introna (2016: 21, original emphasis) argues that algorithms have a temporal flow consisting of ‘a continuous string or stream of interpenetrating—prior and subsequent—actions that compare, swap, sort, allocate, administer, and so forth’ where ‘[e]very particular ‘doing’ happening in the present already assumes some *inheritance* from antecedent ‘prior-to’ actions, and it already anticipates, or *imparts* to, the subsequent ‘in-order-to’ actions’.

While Introna (2016) emphasizes the polyrhythmic concatenation of multiple computational systems, wherein a number of algorithyms and temporal flows intersect and interact, we are more interested in how sequences and concatenations are *repeated*. Likewise, while Miyazaki is concerned with conducting media archaeologies of algorithyms and computing infrastructures, we focus on how the rhythms of urban systems and the space-time unfolding of place are algorithymically mediated; how forms of algorithmic governance are being produced that explicitly measure and modulate urban rhythms – in our case the flow of traffic and the fluctuations of noise. The challenge here is to connect what Miyazaki (2012: 7) calls ‘the time-boundedness of computational culture’ to the time-boundedness of governance cultures in order to account for the interplay, interference and synchronization of the multiple refrains of smart urbanism. As Mackenzie (2005: 91) puts it, ‘[t]he problem, therefore, is to find ways of articulating the uneven, mixed timings that emerge within real networks of inter-operating systems,’ acknowledging that algorithms are an essential part of a larger framework, entangled and displaced in a wide network of epistemic practices, organizations and infrastructures (Dourish 2016). Our approach is thus to deploy a form of rhythmanalysis at the

level of an assemblage of related governmental technologies – the control room, a sound network – rather than individual algorithms; to examine how inter-related sets of digital technologies work together or in conflict, perform synchronization, and interact through diverse calculations and repetitions to enact forms of algorithmic governance.

Algorithmic governance in practice

Traffic management

The Dublin Traffic Management and Incident Centre (TMIC) provides a single, integrated, 24/7 control room to house the core traffic management systems for monitoring and controlling the road transportation network and traffic flow in the Greater Dublin Area, including dealing with major events and incidents. The TMIC is located on the top floor of the Wood Quay Building and access is restricted to selected personnel. The control room has nine main desks for operators, each provided with a computer, telephone, CCTV control and three displays (see Figure 1), that all face a large wall display with screens arranged in multiple sections that show live traffic conditions and allow controllers to share one of their screens with the room. One of the desks is reserved for the control room supervisor, one for a AA Roadwatch operator (who communicates traffic news to radio stations throughout the day), and three of the desks are reserved for the Gardai (police service), Dublin Bus and ITS (Intelligent Transportation System) staff. Three smaller desks are located in the back left corner of the room and hosts Dublin City FM's live broadcast of traffic news and music between 7-10am and 4-7pm, Monday to Friday (staffed by a presenter, assistant and producer; <http://www.dublincityfm.ie/>). In addition to the main control room there is a smaller situation room with further screen and equipment to manage special events, and a small kitchen.

The TMIC is a busy, time-critical environment, with its own overlapping and intertwining everyday, work, machinic and algorithmic polyrhythms operating on different temporal cycles: the peaks of morning and evening rush-hour; people entering or leaving the room at breaks or as shifts change; the voice and music on the radio; the operators typing at keyboards and switching between cameras; and hurried conversations or jokes and the sharing of screens as a situation unfolds. At all times, real-time information is flowing into the centre from a fixed network of 380 CCTV cameras, 800 sensors (induction loops), a small number of Traffic Cams (traffic sensing cameras) used when induction loops are faulty or the road surface is not suitable for them, a mobile network of approximately 1,000 bus transponders (controllers can also directly contact drivers if needed; see Figure 2), phone calls and messages by the




Figure 1: The view at a traffic controller's desk




Figure 2: Real-time visualization of Dublin public transportation vehicles; yellow dots Luas trams, blue dots buses (source: Travic)

public to radio stations and the operators, and social media posts, which contingently and relationally shaping the core patterns of activity. At the centre of this activity is the adaptive traffic management system, SCATS (Sydney Coordinated Adaptive Traffic System).

SCATS is an automated and adaptive system for managing the flow of traffic through a city. Its primary role is to manage the dynamic timing of signal cycles and phases at junctions in order to ensure the optimal flow of vehicles and minimize congestion and manage incidents; to dynamically manage the polyrhythms of road transportation and pedestrian crossings. A cycle is the wait time at a junction and is subdivided into phases for different directions and types (e.g., vehicles, cycles, pedestrians) of flow. It is adaptive in the sense that the system automatically adjusts the cycles and phases dependent on a set of programmed rules and the throughput of traffic in previous cycles and phases. As explained by the centre manager:

The SCAT system is set up with the various different phases, the various different approaches it can run so it can run the main road, side road, pedestrian, right turns, whatever, so that is all set up by the staff here. That is programmed into the traffic controller. When the traffic controller gets switched on then there is an initial set of times, but once it gets that initial set of timings, SCATS itself will start to calibrate to the traffic flow. So it *self-calibrates* to the traffic flow. And then what it is looking to do is it is looking to equalize, to balance the competing demands at junctions. So that is the first thing it is trying to do. The second thing is, depending on where those junctions are, we may then decide they should be linked to each other to provide progressional flow from one to the other. So it has got to maintain coordination with its neighbors. [...] During the heavy, busy hours, you might have a lot of junctions along the road all linked to each other for coordination purposes, but as the traffic need dies down, they could revert back to smaller and smaller clusters of traffic controllers, who just respond more to their local needs, so they perform better just at their local needs. (Senior executive officer #1, Local Authority, our emphasis)

Calibrating processes and practices are at the core of the production of linear and cyclic rhythms: time is not given, but is built through the interaction of multiple adjustments which shape the measurement and practices of rhythms. Indeed, calibration as defined by the Oxford English Dictionary¹ refers both to an act of measurement ('to determine the correct value') and to an act of modification and adaptation ('to graduate objects for any irregularities'). Thus, the calibration takes into account the interactions within the TMIC as performed by the controllers as well as the flows of traffic and pedestrians, who through their movements and actions at a junction contribute to and are affected by the system's algorithms. For example, by pressing a pedestrian crossing button at junction, people produce a temporary break in the traffic rhythm

closing down the main phase in order to run the pedestrian phase. Similarly, the number of cars and the gaps between them detected by the induction loops communicates if a phase was too short or long and the next phase time is re-calculated automatically by the SCAT system. Public buses benefit from prioritisation, so as they approach a junction the phasing will alter to accommodate their passage, generating a further alteration of traffic rhythms that need to be managed by the software, and which sometimes produces congestion in the other phases. Cycles are set to last a minimum of 40 seconds to a maximum 130 seconds, but in practice they rarely exceed 80 seconds or go below 60 seconds. This is based on the pragmatic evaluation that the waiting time for a pedestrian crossing above 80 seconds would be too long:

‘So then that means that throughout the day when it is not busy the cycle goes between 60 and 80 seconds which just means that if a person is waiting at the side of the road they are not waiting too long, or the people at the side roads are not waiting too long. Because if you have everything at 120 and all the additional [time] goes to the main road you could be sitting on the side road for maybe 80 seconds which is a very long time.’ (Senior executive officer #2, Local Authority)

Calibration is strictly related to repetition: the repeated passage of cars at specific intervals of time produce a temporal pattern that SCATS uses to adjust the phases. The association of calibration and repetition through calculation produce the *refrain* of traffic management. Refrains enable data actionability and accountability, and are used by ITS staff to configure the setting of SCATS taking into account whether it is a weekday or weekend, as well as seasonal/daily rhythms and when schools are closed. Consequently, each phase of each junction has its own temporal rhythms which can be discerned over time. Figure 3 displays an average (over 4 months) flow of traffic through one junction phase over 24 hours for each day of the week, showing a morning and late afternoon/evening peaks for weekdays, but early afternoon peaks at the weekend.

On the management side, operators can intervene and override the original SCATS settings, as well as its present conditions. Figure 4 shows the SCATs interface as interacted with by a controller, with the right hand part of the screen showing a junction and its phases, and the left hand part the length of time for each phase. Interventions are circumscribed by the configuration of the system by ITS staff, which in turn refer to the Traffic Signs Manual by the National Roads Authority², which gives rules on the minimum and maximum times for phases. If, for example, operators try to go below the minimum safety times for green or red time on a

Site:102




Figure 3: Four month average of traffic flow through a junction phase.




Figure 4: SCATS interface, the pie charts represent the cycles and each colored slice the different phases and the proportional time allocation

different phase SCATS will automatically override the modification attempt with the original configuration:

We have a number of rules and a number of different elements that you do, so you draw a diagram of what your phasing is going to be, you then define what signal groups can run at the same time as the other, you give basic timings, you give minimal times for your pedestrian crossings, you calculate what the critical collision point is, so what phases. How long the inter-green time has been the different phases and any other requirements that you want to have, i.e. if you want phases to be allowed to be controlled by different factors, so if you turn on switches or turn on different things, different things happen. (Senior executive officer #2, Local Authority)

As well as directly altering the phasing of junctions and the rhythms of traffic flow, much of the data utilised in the traffic control room is shared with the public via a number of channels, enabling people to see and interpret the data themselves and self-regulate their interactions with the traffic system and to manage time-based decisions for journey planning. For example, real-time information about the expected real-time of buses and luas trams are shared via smartphone apps³, websites⁴, and on-street signs (see Figure 5). This is changing peoples' spatial behaviour:

Information is pushed to me based on what I want to see and hear almost in real time [and] helps me make better decisions. If there is disruption on my route to work then I am informed and I am able to make a better decision of how I might get there. I might postpone my journey. So it is that kind of real time responsiveness of a city but tailoring it to my personal needs. ... Being able to find when the next bus is has really transformed my journey to work in the mornings. (City administrator, Local Authority)

The Dublin Dashboard⁶ provides real-time information on the estimated travel time along road segments, the number of spaces in the car parks, the number of bikes and free stands in the bike-share system, and snap-shots from a number of CCTV cameras (see Figure 6). In addition, many travelers are using GPS navigation systems that automatically re-route drivers in response to real-time updates, often taken from other real-time datasets; for example, Google-based GPS (App: 'Maps - Navigation & Transit') calculates traffic congestion based on the movement of Android phones.



Figure 5: Real-time passenger information sign at a bus stop.




Figure 6: Travel times for selected road segments, available bikes in bike-share stations, and available car parking spaces as presented in the Dublin Dashboard (<http://www.dublindashboard.ie/pages/DublinTravel>)

Sound monitoring and modelling

In 2002 the EU Environmental Noise Directive (2002/49/EC⁷) was issued, designed to measure noise pollution levels in urban areas and on major roads and to trigger necessary noise reduction measures. The directive requires member states to monitor noise levels and share these with the public, and prepare and publish every five years noise maps and noise management action plans. The directive was enshrined in Irish law as the Environmental Noise Regulations (Statutory Instrument No. 140 of 2006). As a consequence, Dublin City Council (DCC) (as well as the other three Dublin local authorities) is obliged to measure, model and publish noise levels across its jurisdiction. DCC sub-contracts this service to a private, Dublin-based start-up company, Sonitus Systems, who deploy an Internet of Things solution using networked sound sensors located in 14 locations (40 across the city as a whole). The sound levels recorded by the monitoring stations are displayed via an interactive map⁸ and specific site graphs⁹, enabling the public to read daily and longer-term sound levels for each station, and compare different locations (see Figure 7). As one of our interviewees explained:

‘[O]ur system is constantly measuring noise levels, 24/7, it makes an average every five minutes, or every five minutes it logs a reading, and then it uploads that automatically to our server. And we take all that data coming in, a reading every five minutes from 40 sites all over the city, and we turn that into useful information about what is happening in areas around the city by processing it, by averaging it, by comparing it with other sites and by providing a set of tools online to let either our customer or the general public analyze what is happening one day to the next, over time, and look at it in longer-term trends over time.
(Start-up entrepreneur #2)

The consequence is that the city now has ‘millions and millions of measurements, six metrics taken every five minutes for the last five years at a dozen different points around the city’ (company manager), which are made available for scrutiny through a web-based software platform and forms part of the database for noise modelling (see Figure 8). To produce noise maps at a finer resolution than the sound monitors enable, the data are complemented by ‘road surface and gradient, number of vehicles and speed of the traffic, positions of buildings and barriers and the topology of the local area’ and are modelled using predictive software to produce day-time and night-time maps¹⁰.

Here, quite literally we have a set of algorithms at work, algorithmically measuring, processing and analyzing urban sound and its rhythms. As with the traffic management system, the rhythms detected are affected by calibration, initial settings and the equipment used. As one




Figure 7: Sound levels at Drumcondra Library, Dublin




Figure 8: Noise model for part of Dublin (source: <http://dublincitynoise.sonitusystems.com/noise-maps.php>)

of our interviewees describes with respect to an air quality sensor network:

Interviewee: It takes time to understand whether sensors work or not. You need to choose the interval in which you retrieve the data. Because if you retrieve them at the second scale,

you have plenty of information, but there also can be much noise. If you retrieve them at the hour scale it is more normal but you can lose information, so you need to find a compromise, the right balance.

Interviewer: Also in relation with the times of the city: morning, peak hours, evening...

Interviewee: Exactly. Then the higher the resolution, the higher the consumption of battery; the more you keep data in the flashcard, the more you have to transmit them. There is a whole series of compromises you need to deal with. [Environmental engineer, University]

The calculation of the measurement interval thus requires a compromise between the resolution of information and noise, and to take into account battery capacity and maintenance. The resolution is also often shaped by the type of communications network deployed to relay data. Sending data via GSM can be expensive over time, encouraging lower resolution transfers. In Dublin, a Low-Power Wide-Area Network (LPWAN) is being tested which allows long range communication at a low bit rate and is specifically designed for battery-powered Internet of Thing devices and to support low cost sensors. In other words, the rhythm and resolution of the data measurement and transfer – every five seconds, every minute, every hour, every day – is technically mediated. Again, calibration is coupled with repetition and produces the refrain that enables the accountability and actionability of data.

Discussion and conclusions: algorithmic governance, refrains and rhythmmaking

The concept of algorithmic governance expresses the existence of scalable dynamics generated by the interplay of calibration and repetition that create refrains that make computation, management and policies accountable and actionable. *Rhythmmaking* takes place in different organizations and they are ongoing, open, dispersed, loosely connected, performative, prescriptive and manipulable. In rhythmanalytical terms, the SCATS software and the operators in the TMIC, and the Sonitus sound monitoring network and sound modellers, are undertaking rhythmanalysis – that is, they are seeking to measure and reveal the polyrhythms of the city. But they are also rhythm-makers, in that they actively seek to mediate and calibrate repetitions and rhythms in the world – to try and minimize difference and arrhythmia (disruptive, out-of-sync disjunctions) and produce eurhythmia (harmonious, stable, familiar refrain) which in turn produces further difference and possible arrhythmia enacting particular (and unstable) space-times. Similarly, people who access the data produced within both domains through apps, websites and on-street signs seek to undertake their own

rhythmanalysis that shapes their space-time decision-making, and whose subsequent actions collectively and cumulatively alter the rhythms of the city.

Our analysis highlights that while both the traffic control room and the sound network enact algorithmic governance, it is clear that they do so in different ways. Both systems are highly automated with respect to data generation, transmission, processing, analysis and sharing. They differ, however, with respect to their adaptiveness and action.

SCATS is an adaptive system in two respects. First, the regulation of the phases and cycles adapts to the demand at junctions and across the road network and certain priority rules. This process is a form of automated management as defined by Dodge and Kitchin (2007), in which the system makes and enacts automated, automatic and automated decisions. Second, unlike automated management in its pure form, a human controller can intervene, within certain parameters, to over-ride the automated adaptations and re-calibrate the system. In this sense, the system is one of human-on-the-loop (rather than human-off-the-loop), wherein the system works in an automated fashion but under the watch of a human controller who can intervene (Docherty 2012). Moreover, the system enacts real-time actions and has real-time effects, with the phases and cycles of traffic lights at key junctions being dynamically changed. As a result, every two cycles the length of time vehicles wait at junction updates; the system has immediate material actions designed to produce a desired space-time rhythm. However, due to the polyrhythmic and complex nature of cities, and the mutable cyclicity and linearity of algorithms, the results are never a perfect flow, but rather a semi-optimal concatenation that seeks to stave off inertia or chaos.

In contrast, the sound network is fixed and non-adaptive beyond periodic system upgrades. The system simply generates sensor measurements, transmits them back to a central database, and updates a set of web-based visualizations. Moreover, it engenders no immediate material action. Instead, the data is used to build up sound profiles of key locations over time and is combined with other data to produce sound models for the city. These data and models are then used as the basis for identifying and implementing noise reduction policies. In other words, algorithms form the basis of measuring and monitoring noise levels, and for justifying governance interventions, but the system does not directly intervene in action. As such, the noise monitoring networks constitutes a passive form of algorithmic governance, one where the human is very much in the loop.

The two case studies thus reveal two different forms of algorithmic governance which each enact a different type of rhythmanalysis and perform different kinds of rhythm-making. It is our contention that there are many more forms of algorithmic governance. The

most obvious third form is one where humans are off-the-loop, wherein an algorithmic system has been delegated the responsibility and authority to process data and make decisions and act upon them without any human input or interaction (Docherty 2012). Within each form, there will be variability in how the mode of governance operates and how it is actioned, dependent on a number of factors – data generated, technology (e.g., sensors used, network infrastructure, battery life), epistemic practices, epistemology (mode of analysis, visualization), and forms of regulation and control exercised (in the case of human-off-the-loop varying from automated fines, to altering phases and cycles, to killing people as with military drones).

In each case, a combination of heterogeneous and layered timings and devices, and practices of continuous maintenance and calibration designed to balance and equalize repetitions and minimize difference, is enacted. As our case studies highlight, a number of other issues are also raised. For example, how and where the network of sensors are set up and calibrated: decisions that establish a traffic cycle of 2 minutes with different phases, or a time frequency of 5 minutes, affects the actionability of data and the capability of actors to monitor, detect and intervene. The sensitivity of sensors, local conditions, scientific norms, and handling procedures can add noise to the measurements, which can also be biased and contain error (Kitchin *et al.*, 2015). Indeed, there are always concerns over data fidelity, precision, representativeness, cleanliness, consistency, and reliability of measurements, and the extent to which these affect calculations. Moreover, calibration and filtering the signal from noise is reliant on computational procedures to extract meaningful information, which influence the derived data. And given the polyrhythms and unfolding nature of cities, there is no established or stable norm against which such calibrations are being made; to degree then, adaptive systems such as traffic management are self-organizing, with system rules and human interventions based on a rule of thumb garnered from controller experience.

There are also questions of transparency and accountability with respect to such algorithmic governance. Within automated systems, the rules for acting on data and making decisions is largely black-boxed, especially for ordinary citizens. Yet it is known that programmers routinely, if unintentionally, change the substance of rules when translating them into computer code, thus altering the regulatory work they do (Citron 2007-2008). Moreover, weak algorithms and dirty or error-prone data can generate high rates of false positives and baseless decision making. As a result, the result, the ‘transparency, accuracy, and political accountability of administrative rulemaking’ are potentially lost and are difficult to challenge (Citron 2007-2008: 1254).

To conclude, there is clearly much more research to be undertaken to more fully chart the nature, workings and forms of algorithmic governance, the various issues shaping and arising from their use, and how they perform rhythmanalysis and rhythm-work in order to mediate the polymorphic temporal rhythms of urban life. Indeed, the city itself has an institutional and historical ‘heartbeat’ that interact and is difficult to attune with the real-time one of smart urbanism, as one of our interviewee remarked:

When you think about the physical city you have to think in terms of the pulse rate being 30 years, a heartbeat in Dublin terms is 30 years because that is how long it takes to conceive of and build a bridge. You are looking at timelines that are not driven by electronic Internet time clocks. ... Whereas you talk through problems like homelessness ... and that is a very immediate sharp focus problem, depending on government policy it may be more or less of a problem in a particular month, year and so on. So there are many different timelines and tracks within a city. (Manager, large company)

Algorithmic governance is the (semi)automated endeavour to combine of all these heterogeneous and layered timings and devices, where the effort to calibrate, balance and equalize the heartbeat of the city generates both regulation and interference, entangling ‘real-time’, past and future, and acting ‘at the same time’ on different scales.

Notes

1. <http://www.oed.com/view/Entry/26348#eid10533743>
2. <http://www.dttas.ie/roads/publications/english/traffic-signs-manual-2010>
3. <https://www.dublinbus.ie/Your-Journey1/Mobileapps/>
4. <https://www.dublinbus.ie/RTPI/Sources-of-Real-Time-Information/>
5. <http://www.dublindashboard.ie>
6. http://ec.europa.eu/environment/noise/directive_en.htm
7. <http://dublincitynoise.sonitussystems.com/locations.php>
8. <http://dublincitynoise.sonitussystems.com/charts.php>
9. <http://dublincitynoise.sonitussystems.com/noise-maps.php>

Acknowledgements

The research for this paper has been conducted under the Programmable City project, funded by a European Research Council Advanced Investigator award (ERC-2012-AdG-323636-SOFTCITY). We would like to thank our interviewees and the staff of the traffic control room for their help in conducting the empirical research and answering additional questions.

References

- Amoore L (2006) Biometric borders: Governing mobilities in the war on terror. *Political Geography* 25: 336-351.
- Amoore L (2013) *The Politics of Possibility: Risk and Security Beyond Probability*. Durham, NC: Duke University Press.
- Borch C, Hansen K B and Lange A-C (2015) Markets, bodies, and rhythms: A rhythmanalysis of financial markets from open-outcry trading to high-frequency trading. *Environment and Planning D: Society and Space* 33(6): 1080–1097
- Brown, S and Capdevila, R (1999) Perpetuum Mobile: substance, fame and the sociology of translation. In: Law J and Hassard J. (eds) *Actor Network Theory and After*. Oxford: Blackwell, pp. 26–50.
- Castells M (1996) *The Network Society*. Oxford: Blackwell.
- Citron D (2007-2008) Technological Due Process. *Washington University Law Review* 85: 1248-1313.
- Conlon D (2010) Fascinatins' rhythm(s): Polyrhythmia and the syncopated echoes of the everyday. In: Edensor T (ed) *Geographies of Rhythm: Nature, Place, Mobilities and Bodies*. Farnham: Ashgate, pp. 71-81
- Crang M (2001) Rhythms of the city: temporalised space and motion. In: May J and Thrift N (eds) *Timespace: Geographies of Temporality*. London: Routledge, pp. 187-207.
- Crang M and Graham S (2007) Sentient cities: ambient intelligence and the politics of urban space. *Information, Communication & Society* 10(6): 789-817.
- Crang M, Crosbie T and Graham S (2007) Technology, timespace and the remediation of neighbourhood life. *Environment and Planning A* 39: 2405-2422.
- Deleuze G and Guattari F (1988) *A Thousand Plateaus*. Translated by Massumi B, Minneapolis: The University of Minnesota Press.
- DeNardis L and Musiani F (2016) Governance by infrastructure. In Musiani F, Cogburn, D L, DeNardis L and Levinson N S (eds.) *The Turn to Infrastructure in Internet Governance*. Palgrave, New York. pp. 3-21.
- Docherty B (2012) *Losing Humanity: The Case Against Killer Robots*. New York: Human Right Watch. www.hrw.org/sites/default/files/reports/arms1112_ForUpload.pdf (last accessed 17 November 2015)
- Dodge, M and Kitchin, R (2007) The automatic management of drivers and driving spaces. *Geoforum* 38(2): 264-275.

- Dourish, P (2016) Algorithms and their others: Algorithmic culture in context. *Big Data and Society* 3(2): 1-11.
- Edensor T and Holloway J (2008) Rhythmanalysing the coach tour: The ring of Kerry, Ireland, *Transactions of the Institute of British Geographers* 33: 483-501.
- Edensor T (2010a) Introduction: Thinking about Rhythm and Space. In: Edensor T (ed) *Geographies of rhythm: nature, place, mobilities and bodies*, Farnham: Ashgate. pp. 1-18.
- Edensor T (2010b) *Geographies of Rhythm: Nature, Place, Mobilities and Bodies*. Farnham: Ashgate.
- Elden S (2004) Rhythmanalysis: An Introduction. In: Lefebvre, H. (2004) *Rhythmanalysis: Space, Time and Everyday Life*, translated by Elden S and Moore G, London: Continuum, pp. vii-xv.
- Gillespie T (2014) *The relevance of algorithms*. In: Gillespie T, Boczkowski P J and Foot K A (eds) *Media Technologies: Essays on Communication, Materiality, and Society*. Cambridge, MA: MIT Press, pp.167-93.
- Gordon E and de Souza e Silva A (2011) *Net Locality: Why Location Matters in a Networked World*. Malden, MA: Wiley-Blackwell.
- Graham S (2005) Software-sorted geographies. *Progress in Human Geography* 29(5): 562-80.
- Graham S (2011) *Cities Under Siege*. London: Verso.
- Hagerstrand T (1970) What about people in regional science? *Regional Science Association Papers* 24(1): 7-21.
- Hassan R and Purser R E (eds.) (2007) *24/7: Time and Temporality in the Network Society*. Stanford: Stanford Business Books.
- Introna L D (2016) Algorithms, governance, and governmentality: On governing academic writing. *Science, Technology and Human Values* 41(1): 17-49.
- Janssen M and Kuk G (2016) The challenges and limits of big data algorithms in technocratic governance. *Government Information Quarterly* 33(3): 371-377.
- Jiron P (2010) Repetition and difference: Rhythms and mobile place-making in Santiago de Chile. In Edensor T (ed) *Geographies of Rhythm: Nature, Place, Mobilities and Bodies*. Farnham: Ashgate. pp. 129-143.
- Kitchin R (2014) The real-time city? Big data and smart urbanism. *GeoJournal* 79(1): 1-14.
- Kitchin R (2016) *Getting smarter about smart cities: Improving data privacy and data security*. Data Protection Unit, Department of the Taoiseach, Dublin, Ireland.

- http://www.taoiseach.gov.ie/eng/Publications/Publications_2016/Smart_Cities_Report_January_2016.pdf (last accessed 3 November 2016)
- Kitchin R (2017) Thinking critically about and researching algorithms. *Information, Communication and Society* 20(1): 1-14.
- Kitchin R and Dodge M (2011) *Code/Space: Software and Everyday Life*. Cambridge, MA: MIT Press.
- Kitchin R, Lauriault T P and McArdle G (2015) Knowing and governing cities through urban indicators, city benchmarking and real-time dashboards. *Regional Studies, Regional Science* 2: 1-28.
- Klauser F, Paasche T and Söderström O (2014) Michel Foucault and the smart city: Power dynamics inherent in contemporary governing through code. *Environment and Planning D: Society and Space* 32(5): 869-885.
- Kofman E and Lebas E (1996) Lost in transposition. In: Kofman E and Lebas E (eds) *Writings on Cities - Henri Lefebvre*. Oxford: Blackwell, pp. 3-60.
- Lefebvre H (1974/1991) *La production de l'espace*, Paris: Anthropos. Translated by Donald Nicholson-Smith as *The Production of Space*. Oxford: Blackwell.
- Lefebvre H (1992/2004) *Eléments de rythmanalyse: introduction à la connaissance des rythmes*, Paris: Editions Syllepse. Translated by Elden S and Moore G as *Rhythmanalysis: Space, Time and Everyday Life*. London: Continuum.
- Lefebvre H (1996) *Writings on Cities*. Translated in: Kofman E and Lebas E (eds) *Writings on Cities - Henri Lefebvre*. Oxford: Blackwell.
- Leszczynski A (2015) Spatial big data and anxieties of control. *Environment and Planning D: Society and Space* 33(6): 965-984.
- Luque-Ayala A and Marvin S (2016) The maintenance of urban circulation: An operational logic of infrastructural control. *Environment and Planning D: Society and Space* 34(2): 191-208.
- Mackenzie A (2005) Protocols and the Irreducible Traces of Embodiment. In: Hassan R and Purser R E (eds.) (2007) *24/7: Time and Temporality in the Network Society*. Stanford: Stanford Business Books. pp. 89-105.
- May J and Thrift N (2001) Introduction. In: May J and Thrift N (eds) *Timespace: Geographies of Temporality*. London: Routledge. pp. 1-46.
- Massey D (1992) Politics and space/time. *New Left Review* 196: 65-84.
- Miyazaki S (2012) Algorhythmic: Understanding micro-temporality in computational cultures. *Computational Culture*, Issue 2.

- <http://computationalculture.net/article/algorithmics-understanding-micro-temporality-in-computational-cultures> (last accessed 25 June 2014)
- Miyazaki S (2013a) AlgoRHYTHMS everywhere: A heuristic approach to everyday technologies, in Hoogstad J H, and Stougaard B (eds.) *Of Beat: Pluralizing Rhythm*. Amsterdam: Rodopi. pp. 135-148.
- Miyazaki S (2013a) Urban sounds unheard-of: a media archaeology of ubiquitous infospheres. *Continuum: Journal of Media & Cultural Studies* 27(4): 514-522.
- Palmer M and Jones O (2014) On breathing and geography: explorations of data sonifications of timespace processes with illustrating examples from a tidally dynamic landscape (Severn Estuary, UK). *Environment and Planning A* 46: 222-240.
- Pasquale F (2015) *The Black Box Society: The Secret Algorithms That Control Money and Information*. Cambridge, MA: Harvard University Press.
- Schwanen T (2007) Matter(s) of interest: Artefacts, spacing and timing. *Geografiska. Annaler* 89B(1): 9–22.
- Spinney J (2010) Improvising rhythms: Re-reading urban time and space through everyday practices of cycling. In: Edensor T (ed) *Geographies of Rhythm: Nature, Place, Mobilities and Bodies*. Farnham: Ashgate. pp. 113-127.
- Thrift N and French S (2002) The automatic production of space. *Transactions of the Institute of British Geographers* 27(3): 309-35.
- Townsend A M (2000) Life in the real-time city: Mobile telephones and urban metabolism. *Journal of Urban Technology* 7(2): 85–104.
- Townsend A (2013) *Smart Cities: Big data, Civic Hackers, and the Quest for a New Utopia*. New York: W.W. Norton & Co.
- Walker G (2014) The dynamics of energy demand: Change, rhythm and synchronicity. *Energy Research & Social Science* 1: 49–55.
- Willis K S (2016) *Netspaces: Space and Place in a Networked World*. Farnham: Ashgate.